



# MARYLAND STATE POLICE

Maryland Department of State Police / Licensing Division  
1111 Reisterstown Road  
Pikesville, Maryland  
Office: (410) 653.4500 / Fax: (410) 653.4036

## ADVISORY

**LD-HQL-17-004**

**NOVEMBER 17, 2017**

### ALTERNATIVE AMMUNITION FOR HANDGUN QUALIFICATION LICENSE (HQL) LIVE FIRE TRAINING COMPONENT

PUBLIC SAFETY §5-117.1(c)(3)(iii) requires a firearms orientation component that demonstrates the person's safe operation and handling of a firearm, which includes, as required by COMAR 29.03.01.29.C(4), a practice component in which the applicant safely fires at least one round of live ammunition.

The Maryland State Police (MSP) has received several requests to review alternative non-lethal, marking projectiles to satisfy the "live fire" component of the HQL training requirement. The MSP has determined that the use of non-lethal marking projectiles would meet the HQL "live fire" training requirement provided that the non-lethal marking projectile meets the following requirements:

- 1) meets the definition of "ammunition" as defined in Public Safety §5-133.1(a): "a cartridge, shell, or any other device containing explosive or incendiary material designed and intended for use in a firearm;" and
- 2) can be fired from a firearm as defined in Public Safety §5-101(h)(1)(i): "a weapon that expels, is designed to expel, or may readily be converted to expel a projectile by the action of an explosive."

If you have any questions regarding this matter, please contact the Handgun Qualification License Unit, by email, at [msh.hql@maryland.gov](mailto:msh.hql@maryland.gov), or call the Licensing Division at 410-653-4500. Thank you for your attention to this matter.

Alert Advisories are a service of the Maryland Department of State Police. The content of this document is for OFFICIAL USE ONLY. Any request for disclosure of this document or the information contained herein, should be referred to either the originator of the Advisory, or the Maryland Department of State Police, Licensing Division, 410.653.4500.